

هایک ویژن پلاس

















HIKVISION

برترین تولید کننده سیستم های حفاظتی

تلفن های تماس: ۰۲۱۶۶۷۴۳۶۵۹ و ۰۲۱۶۶۷۶۵۰۹۵



Accessories				
Items	Description	User Price		
Switches				
1	DS-3E0105P-E/M	L2, Unmanaged, 4 100M PoE port, 1 100M uplink port, 802.3af PoE power budget 35W	IRR 9,800,000	
2	DS-3E0105P-E	L2, Unmanaged, 4 100M PoE port, 1 100M uplink port, 802.3af/at, PoE power budget 58W	ناموجود	
3	DS-3E0109P-E/M	L2, Unmanaged, 8 100M PoE port, 1 100M uplink port, 802.3af, PoE power budget 60W	IRR 25,000,000	
4	DS-3E0109P-E	L2, Unmanaged, 8 100M PoE port, 1 100M uplink port, 802.3af/at, PoE power budget 123W	IRR 36,240,000	
5	DS-3E0318P-E	L2, Unmanaged, 16 100M PoE port, 2 1000M combo port, 802.3af/at, PoE power budget 230W	IRR 59,500,000	
6	DS-3E0326P-E	L2, Unmanaged, 24 100M PoE port, 2 1000M combo port, 802.3af/at, PoE power budget 370W	IRR 79,000,000	
7	DS-3E1310P-E	L2, Web managed, 8 100M PoE port, 2 1000M combo port, 802.3af/at, PoE power budget 123W	ناموجود	
8	DS-3E1318P-E	802.3af/at PoE standard 8-core power supply technology, reducing the power circuit loss, Data monitor and control for the important ports, EXTEND mode available to extend the network cable transmission distance to 250 meters Buffer optimization to guarantee the video data transmission, VLAN configurable Port trunk, multicast and port mirroring, WEB management, Store-and-forward switching IEEE802.3, IEEE802.3u and IEEE802.3x network standards available MTBF (Mean Time Between Failure) ≥ 100,000 hours All-metal enclosed construction Table-mounted and rack-mounted design for convenient installation	ناموجود	
Cables				
10	DS-1LN6-UE-W	UTP / CAT.6 / Indoor PVC / 23AWG, Full 305m, OFC / 0.530mm, CM Rating, Default Color: BLUE. TEST FLUKE	IRR 46,940,000	
11	DS-1LN6-UU	UTP / CAT.6 / Indoor PVC / 23AWG Full 305m OFC / 0.565mm CM Rating Default Color: Orange	IRR 51,660,000	
Brackets				
13	DS-1602ZJ	Wall mount , Hik white , Aluminum alloy , 97×182×305mm Suitable for:-DS-2DE/AE4xxx-DS-2DE/AE5xxx-DS-2DE/AE7xxx-DS-2DF8xxx-DS-2DF6xxx-DS-2DF7xxx-DS-2DF5xxx	IRR 6,840,000	
14	DS-1602ZJ-pole	Vertical pole mount, Hik white , Aluminum alloy , 117×194×310mm , Suitable for:DS-2DE/AE5xxx-DS-2DE/AE7xxx-DS-2DF8xxx-DS-2DF6xxx-DS-2DF7xxx-DS-2DF5xxx	ناموجود	
15	DS-1605ZJ	Wall Mount bracket Parameters: Wall mounting bracket-Colour: Hik White-Feature: Suitable for speed dome cameras Dimensions: Ø171.7 x 158 x 228.6mm	ناموجود	
16	DS-1661ZJ	Pendent Mounting Bracket In/Outdoor,-Color: -Hik white-Material: -Aluminum alloy-Dimensin: -116.5×200mm-Weight: -600g	IRR 7,490,000	

17	DS-1662ZJ	Pendant mount , Hik white , Aluminum alloy , Φ116.5×500mm Suitable for:-DS-2DE/AE4xxx-DS-2DE/AE5xxx-DS-2DE/AE7xxx-DS-2DF8xxx-DS-2DF6xxx-DS-2DF7xxx-DS-2DF5xxx	IRR 8,600,000	
18	DS-1663ZJ	Ceiling mount , Hik white , Aluminum alloy , Φ116.5×57mm-Suitable for:-DS-2DE/AE4xxx-DS-2DE/AE5xxx-DS-2DE/AE7xxx-DS-2DF8xxx-DS-2DF6xxx-DS-2DF7xxx-DS-2DF5xxx	ناموجود	
19	DS-1693ZJ	Wall mount , Hik white , steel , 190×200×500mm , 5700g Suitable for PTZ positioner	ناموجود	
20	DS-1681ZJ	Ceiling mount , Hik white , Aluminum alloy -Suitable for:-DS-2DE/AE4xxx-DS-2DE/AE5xxx-DS-2DE/AE7xxx-DS-2DF8xxx-DS-2DF6xxx-DS-2DF7xxx-DS-2DF5xxx	IRR 1,860,000	
21	DS-1273ZJ-135B	Wall mount , White , Aluminum alloy , with junction box , Φ135×182×120mm Suitable for: DS-2CD27xx	Call	
22	Keyboard			
23	DS-1100KI	Network Keyboard, 7" TFT touch screen, up to 256 units of DVR/Network Cameras/Speed Dome management, 1-ch HD 1080p video stream decoding, USB 2.0 interface for video backup	IRR 346,900,000	
24	DS-1005KI	network Keyboard, USB interface, support Hikvision VMS, NVR, DVR	IRR 83,140,000	
25	Tester			
26	IPC-4300H	IPC-4300 IP camera tester 4.3 inch capacitive touch screen / ONVIF/ Hikvision, Dahua, etc more than 40 IP camera brands test /IP Camera view /12 V/2A power output / 5V 2A power bank / PoE power supply / HDMI output / WIFI	ناموجود	
27	DS-TT-X41T-tester	TurboHD (HD-TVI 2.0), HDMI 1.0, VGA, and CVBS Inputs - 7" TFT active matrix LCD monitor - TurboHD: Up to 720p @ 25/30/50/60 fps, 1080p @ 25/30 fps	IRR 138,420,000	
28	Adapters			
29	AD-121/P	12V-1A	IRR 420,000	
30	AD-122/P	12V -2A	IRR 450,000	
31	AD-122/PL	12V-2A	IRR 480,000	
32	AD-125/PL	12V -5A	IRR 800,000	
33	AD-12A/M	12V -10A-METAL	IRR 1,180,000	
34	AD-12F/M	12V -15A-METAL	IRR 1,600,000	
35	AD-12K/MF	12V -20A-METAL WITH FAN	IRR 1,840,000	

36

AD-12U/MF

12V -30A-METAL WITH FAN

IRR 2,550,000



HikvisionPlus Reseller
TelFax : 98 21 66743659
TelFax : 98 21 66765095
www.hikvision-plus.com
info@hikvision-plus.com

برای خرید و درصد تخفیف با مسئول فروش فروشگاه
هایک ویژن پلاس: جناب آقای فراهانی در واتس آپ پیام
ارسال نمایید. شماره واتس آپ: **۰۹۱۲۸۸۹۵۱۲۰**